




Est 1990

Contour

X-Guard mesh panel Contour has rounded corners, making it not only the perfect solution for confined but also sleek in design. These panels come in four heights and 90° angle. The mesh requires a minimum safety distance of 200 mm. All panels have a 30x20 mm frame with factory-fixed brackets to facilitate assembly.





The mesh consists of vertical wires of Ø 3 mm and horizontal wires of Ø 2.5 mm.

The standard panel colour is black (RAL 9011) but customised colours are available upon request.




Models

Contour 4 articles

| ARTICLES / DESCRIPTION | | HEIGHT (MM) | MESH APERTURE |
|---|--------------------------|-------------|---------------|
|  | W32R90-130 90° | 1300 | 50x30 |
|  | W32R90-190 90° | 1900 | 50x30 |
|  | W32R90-220 90° | 2200 | 50x30 |
|  | W32R90-240 90° | 2400 | 50x30 |

Related products



PANELS

Mesh panel

X-Guard mesh panels come in two sizes of mesh; Premium 50x20 and Classic 50x30 mm. The safety distance determines the size of mesh required. The Classic 50x30 mesh requires a minimum distance of 20...

75 articles



PANELS

Plastic panel

The X-Guard series also includes plastic panels. Some environments require more comprehensive protection, which our see-through plastic walls can provide. X-Guard plastic panels are easy to fit and...

12 articles



PANELS

Sheet metal panel

The X-Guard series also includes sheet metal panels. Some environments require more comprehensive protection, which our sheet metal covered walls can provide. X-Guard sheet metal panels are easy t...

10 articles



PANELS

Sheet metal panel with window

X-Guard sheet metal panels are also available with window. Some environments require more comprehensive protection, which our sheet metal covered walls can provide. When a process needs to be monit...

6 articles