

# Axelent

## Product information

### » X-Guard® Product sheet

#### PRODUCT FACTS

|                    |   |
|--------------------|---|
| Safety distance    | 120, 200 mm   |
| Uprights           | 30x20 mm  |
| Horizontals        | 25x15 mm  |
| Posts              | 50x50, 50x100,<br>70x70 100x100 mm                                    |
| Vertical wires     | Ø 3 mm  |
| Horizontal wires   | Ø 2.5 mm  |
| Mesh apertures     | cc 51 x21, 51 x31 mm  |
| Finish             | Phosphatising/Epoxy paint   |
| Colour mesh panels | Black RAL 9011  |
| Colour post        | Yellow RAL 1018, Black RAL<br>9011*, Blue RAL 5005*, Red<br>RAL 3020* |

Other colours can be quoted. (\* Only on standard post, 50x50 mm)

#### MESH PANELS (MESH 50 X 20 MM)

| Art. no.                | Height (mm) | Width (mm) |
|-------------------------|-------------|------------|
| <b>Black (RAL 9011)</b> |             |            |
| W321-220025             | 2200        | 0250       |
| W321-220040             | 2200        | 0400       |
| W321-220070             | 2200        | 0700       |
| W321-220100             | 2200        | 1000       |
| W321-220120             | 2200        | 1200       |
| W321-220150             | 2200        | 1500       |

(N.B! 1 week delivery time on the articles W321-220XXX.  
Fixings are included with all W321- panels)

#### MESH PANELS (MESH 50 X 30 MM)

| Art. no.                | Height (mm) | Width (mm) |
|-------------------------|-------------|------------|
| <b>Black (RAL 9011)</b> |             |            |
| W322-075025             | 0750        | 0250       |
| W322-075040             | 0750        | 0400       |
| W322-075050             | 0750        | 0500       |
| W322-075060             | 0750        | 0600       |
| W322-075070             | 0750        | 0700       |
| W322-075080             | 0750        | 0800       |
| W322-075090             | 0750        | 0900       |
| W322-075100             | 0750        | 1000       |
| W322-075110             | 0750        | 1100       |
| W322-075120             | 0750        | 1200       |
| W322-075130             | 0750        | 1300       |
| W322-075140             | 0750        | 1400       |
| W322-075150             | 0750        | 1500       |

|             |      |      |
|-------------|------|------|
| W322-190025 | 1900 | 0250 |
| W322-190040 | 1900 | 0400 |
| W322-190050 | 1900 | 0500 |
| W322-190060 | 1900 | 0600 |
| W322-190070 | 1900 | 0700 |
| W322-190080 | 1900 | 0800 |
| W322-190090 | 1900 | 0900 |
| W322-190100 | 1900 | 1000 |
| W322-190110 | 1900 | 1100 |
| W322-190120 | 1900 | 1200 |
| W322-190130 | 1900 | 1300 |
| W322-190140 | 1900 | 1400 |
| W322-190150 | 1900 | 1500 |

| Art. no.                | Height (mm) | Width (mm) |
|-------------------------|-------------|------------|
| <b>Black (RAL 9011)</b> |             |            |
| W322-130025             | 1300        | 0250       |
| W322-130040             | 1300        | 0400       |
| W322-130050             | 1300        | 0500       |
| W322-130060             | 1300        | 0600       |
| W322-130070             | 1300        | 0700       |
| W322-130080             | 1300        | 0800       |
| W322-130090             | 1300        | 0900       |
| W322-130100             | 1300        | 1000       |
| W322-130110             | 1300        | 1100       |
| W322-130120             | 1300        | 1200       |
| W322-130130             | 1300        | 1300       |
| W322-130140             | 1300        | 1400       |
| W322-130150             | 1300        | 1500       |
| W322-130220             | 1300        | 2200       |

|             |      |      |
|-------------|------|------|
| W322-220025 | 2200 | 0250 |
| W322-220040 | 2200 | 0400 |
| W322-220050 | 2200 | 0500 |
| W322-220060 | 2200 | 0600 |
| W322-220070 | 2200 | 0700 |
| W322-220080 | 2200 | 0800 |
| W322-220090 | 2200 | 0900 |
| W322-220100 | 2200 | 1000 |
| W322-220110 | 2200 | 1100 |
| W322-220120 | 2200 | 1200 |
| W322-220130 | 2200 | 1300 |
| W322-220140 | 2200 | 1400 |
| W322-220150 | 2200 | 1500 |

(Fixings are included with all W322- panels)

#### MESH PANELS X-GUARD CONTOUR (MESH 50 X 30 MM)

| Art. no.                         | Height (mm) | Angle (degrees) |
|----------------------------------|-------------|-----------------|
| <b>Black (RAL 9011), rounded</b> |             |                 |
| W32R45-130                       | 1300        | 45              |
| W32R45-190                       | 1900        | 45              |
| W32R45-220                       | 2200        | 45              |

| Art. no.                         | Height (mm) | Angle (degrees) |
|----------------------------------|-------------|-----------------|
| <b>Black (RAL 9011), rounded</b> |             |                 |
| W32R90-130                       | 1300        | 90              |
| W32R90-190                       | 1900        | 90              |
| W32R90-220                       | 2200        | 90              |

(Fixings are included with all W32R- panels)

# Axelent

## Product information

» X-Guard® Product sheet

### POSTS



Art. no.

Gap to floor (mm)

Height (mm)

Standard 50 x 50 mm, Yellow (RAL 1018), Black (RAL 9011), Blue (RAL 5005) Red (RAL 3020)

|                    |     |      |
|--------------------|-----|------|
| P11-140 (RAL 1018) | 100 | 1400 |
| P21-140 (RAL 5005) | 100 | 1400 |
| P31-140 (RAL 9011) | 100 | 1400 |
| P71-140 (RAL 3020) | 100 | 1400 |
| P11-200 (RAL 1018) | 100 | 2000 |
| P21-200 (RAL 5005) | 100 | 2000 |
| P31-200 (RAL 9011) | 100 | 2000 |
| P71-200 (RAL 3020) | 100 | 2000 |
| P11-230 (RAL 1018) | 100 | 2300 |
| P21-230 (RAL 5005) | 100 | 2300 |
| P31-230 (RAL 9011) | 100 | 2300 |
| P71-230 (RAL 3020) | 100 | 2300 |

Standard 50 x 50 mm, Yellow (RAL 1018)

|         |     |      |
|---------|-----|------|
| P11-150 | 200 | 1500 |
|---------|-----|------|

Premium 70 x 70 mm, Yellow (RAL 1018)

|         |     |      |
|---------|-----|------|
| P13-140 | 100 | 1400 |
| P13-200 | 100 | 2000 |
| P13-230 | 100 | 2300 |

Extension 50 x 50 mm, Yellow (RAL 1018), Black (RAL 9011), Blue (RAL 5005), Red (RAL 3020)

|                              |      |
|------------------------------|------|
| E11-075, E11-075B (RAL 1018) | 0750 |
| E21-075, E21-075B (RAL 5005) | 0750 |
| E31-075, E31-075B (RAL 9011) | 0750 |
| E71-075, E71-075B (RAL 3020) | 0750 |

Extension Premium 70 x 70 mm, Yellow (RAL 1018)

|         |      |
|---------|------|
| E13-075 | 0750 |
| E13-130 | 1300 |
| E13-190 | 1900 |
| E13-220 | 2200 |

# Axellent

## Product information

» X-Guard® Product sheet

### LOCKS/SAFETY

| Art. no. | Description  |
|----------|--|
| L10-00-0 | Padlock for hinge door, right/left                                     |
| L20-00-0 | Padlock for sliding door, right/left                                   |
| L22-00-0 | Padlock for sliding door with centre lock                              |
| L10-05-0 | Snap lock for hinge door, right/left                                   |
| L20-05-0 | Snap lock for sliding door, right/left                                 |
| L22-05-0 | Snap lock for sliding door with centre lock                            |
| L10-05-2 | Hitch lock for hinge doors right/left                                  |
| L20-05-2 | Hitch lock for sliding doors right/left                                |
| L10-05-3 | Cylinder lock, option for the handle to the hitch lock (1 each)        |
| L66-10-0 | Cylinder lock for all doors, right/left                                |
| L66-15-0 | Panic lock, cylinder lock for all doors, right/left                    |
| L66-20-L | X-Lock for all doors, left   |
| L66-20-R | X-Lock for all doors, right  |
| L66-21-L | X-Lock for all doors, left,for switch B-614                            |
| L66-21-R | X-Lock for all doors, right,for switch B-614                           |
| T10-01   | Complete fittings for switch and key, hinge door, right/left           |
| T10-02   | Complete fittings for switch and key, sliding door, right/left         |
| T10-11   | Complete fittings for non-contact switch, diam.18mm, hinge door        |
| T10-12   | Complete fittings for switch and key, hinge doors, right/left, Euchner |
| T10-13   | Switch fitting hinge door, universal, non-contact                      |
| T10-20   | Complete fittings for switch and key, sliding doors, right/left        |
| T10-21   | Complete fittings for non-contact switch, diam.18mm, sliding door      |
| T10-30   | Fittings, Euchner MGB hingedor/slidingdoor, right/left                 |
| T10-32   | Fittings, Schmersal AZM200 hingedor/slidingdoor, right/left            |
| T10-33   | Fittings, Euchner MGB Profinet Box hingedor, right/left                |
| T10-34   | Fittings, Euchner MGB Profinet Box slidingdoor, right/left             |
| 10-9540  | Eurocylinder, DIN 18254, class 3                                       |
| 10-9545  | Eurocylinder, DIN 18254, in system                                     |
| 10-9550  | Eurocylinder (half), DIN V 18254                                       |

# Axelent

## Product information

### » X-Guard® Product sheet

#### DOORS (50X50 POSTS)

| Art. no.    | Height (mm) | Max width (mm) | Description                                  |
|-------------|-------------|----------------|--|
| D10-XXX150A | Max 2300    | 1500           | Single hinge door with top frame             |
| D10-XXX150B | Min 2300    | 1500           | Single hinge door with top frame             |
| D11-XXX150A | Max 2300    | 1500           | Single hinge door without top frame          |
| D11-XXX150B | Min 2300    | 1500           | Single hinge door without top frame          |
| D12-140300  | 1400        | 2 x 1500       | Double hinge door                            |
| D12-200300  | 2000        | 2 x 1500       | Double hinge door                            |
| D12-230300  | 2300        | 2 x 1500       | Double hinge door                            |
| D20-XXX100A | Max 2300    | 1000           | Single sliding door                          |
| D20-XXX100B | Min 2300    | 1000           | Single sliding door                          |
| D20-XXX140A | Max 2300    | 1400           | Single sliding door                          |
| D20-XXX140B | Min 2300    | 1400           | Single sliding door                          |
| D20-XXX220A | Max 2300    | 2200           | Single sliding door                          |
| D20-XXX220B | Min 2300    | 2200           | Single sliding door                          |
| D20-XXX310A | Max 2300    | 3100           | Single sliding door                          |
| D20-XXX310B | Min 2300    | 3100           | Single sliding door                          |
| D20-XXX570A | Max 2300    | 5700           | Single sliding door                          |
| D20-XXX570B | Min 2300    | 5700           | Single sliding door                          |
| D22-XXX290A | Max 2300    | 2900           | Sliding door with centre lock                |
| D22-XXX290B | Min 2300    | 2900           | Sliding door with centre lock                |
| D22-XXX590A | Max 2300    | 5900           | Sliding door with centre lock                |
| D22-XXX590B | Min 2300    | 5900           | Sliding door with centre lock                |
| D23-200300R | Min 2000    | 2 x 1500       | Double sliding door, right, with 2-step rail |
| D23-200300L | Min 2000    | 2 x 1500       | Double sliding door, left, with 2-step rail  |
| D23-230300R | Min 2300    | 2x1500         | Double sliding door, right, with 2-step rail |
| D23-230300L | Min 2300    | 2 x 1500       | Double sliding door, left, with 2-step rail  |
| D23-200450R | Min 2000    | 3 x 1500       | Triple sliding door, right, with 3-step rail |
| D23-200450L | Min 2000    | 3 x 1500       | Triple sliding door, left, with 3-step rail  |
| D23-230450R | Min 2300    | 3 x 1500       | Triple sliding door, right, with 3-step rail |
| D23-230450L | Min 2300    | 3 x 1500       | Triple sliding door, left, with 3-step rail  |
| D24-200140  | 2000        | 2 x 1400       | Double sliding door                          |
| D24-230140  | 2300        | 2 x 1400       | Double sliding door                          |
| D24-200290  | 2000        | 2 x 2900       | Double sliding door                          |
| D24-230290  | 2300        | 2 x 2900       | Double sliding door                          |
| D26-XXX090  | Max 2300    | 0900           | Single sliding door without rail             |
| D26-XXX140  | Max 2300    | 1400           | Single sliding door without rail             |
| D27-XXX180  | Max 2300    | 1800           | Double sliding door without rail             |
| D27-XXX280  | Max 2300    | 2800           | Double sliding door without rail             |
| D28-140190L | 1400        | 1900           | Single sliding door without rail left        |
| D28-140190R | 1400        | 1900           | Single sliding door without rail right       |
| D28-140290L | 1400        | 2900           | Single sliding door without rail left        |
| D28-140290R | 1400        | 2900           | Single sliding door without rail right       |
| D28-200190L | 2000        | 1900           | Sliding door without rail left               |
| D28-200190R | 2000        | 1900           | Sliding door without rail right              |
| D28-200290L | 2000        | 2900           | Sliding door without rail left               |
| D28-200290R | 2000        | 2900           | Sliding door without rail right              |
| D28-230190L | 2300        | 1900           | Sliding door without rail left               |
| D28-230190R | 2300        | 1900           | Sliding door without rail right              |
| D28-230290L | 2300        | 2900           | Sliding door without rail left               |
| D28-230290R | 2300        | 2900           | Sliding door without rail right              |
| D29-XXX380  | Max 2300    | 2x1900         | Sliding door without rail, centre lock       |
| D29-XXX480  | Max 2300    | 2x1900+1900    | Sliding door without rail, centre lock       |
| D29-XXX580  | Max 2300    | 2x2900         | Sliding door without rail, centre lock       |

(Standard panels are used for doors)

# Axellent

## Product information

» X-Guard® Product sheet

### DOORS (70X70 POSTS)

| Art. no.    | Height (mm) | Max width (mm) | Description                                |
|-------------|-------------|----------------|--|
| D30-XXX150A | 2300        | 1500           | Single hinge door, incl. top frame         |
| D30-XXX150B | 2300        | 1500           | Single hinge door, incl. top frame         |
| D32-200300  | 2000        | Max 2x1500     | Double hinge door                          |
| D32-230300  | 2300        | Max 2x1500     | Double hinge door                          |
| D32-275300  | 2755        | Max 2x1500     | Double hinge door                          |
| D32-305300  | 3055        | Max 2x1500     | Double hinge door                          |
| D40-XXX100A | Max 2300    | 1000           | Single sliding door                        |
| D40-XXX100B | Min 2300    | 1000           | Single sliding door                        |
| D40-XXX140A | Max 2300    | 1400           | Single sliding door                        |
| D40-XXX140B | Min 2300    | 1400           | Single sliding door                        |
| D40-XXX220A | Max 2300    | 2200           | Single sliding door                        |
| D40-XXX220B | Min 2300    | 2200           | Single sliding door                        |
| D40-XXX310A | Max 2300    | 3100           | Single sliding door                        |
| D40-XXX310B | Min 2300    | 3100           | Single sliding door                        |
| D40-XXX570A | Max 2300    | 5700           | Single sliding door                        |
| D40-XXX570B | Min 2300    | 5700           | Single sliding door                        |
| D42-XXX290A | Max 2300    | 2900           | Sliding door with centre lock              |
| D42-XXX290B | Min 2300    | 2900           | Sliding door with centre lock              |
| D42-XXX590A | Max 2300    | 5900           | Sliding door with centre lock              |
| D42-XXX590B | Min 2300    | 5900           | Sliding door with centre lock              |
| D43-200300L | 2000        | Max 2x1500     | Sliding door, left with 2-step rail        |
| D43-200300R | 2000        | Max 2x1500     | Sliding door, right with 2-step rail       |
| D43-200450L | 2000        | Max 3x1500     | Sliding door, left with 3-step rail        |
| D43-200450R | 2000        | Max 3x1500     | Sliding door, right with 3-step rail       |
| D43-230300L | 2300        | Max 2x1500     | Sliding door, left with 2-step rail        |
| D43-230300R | 2300        | Max 2x1500     | Sliding door, right with 2-step rail       |
| D43-230450L | 2300        | Max 3x1500     | Sliding door, left with 3-step rail        |
| D43-230450R | 2300        | Max 3x1500     | Sliding door, right with 3-step rail       |
| D44-200140  | 2000        | Max 2x1400     | Double sliding door overlapped             |
| D44-200290  | 2000        | Max 2x2900     | Double sliding door overlapped             |
| D44-230140  | 2300        | Max 2x1400     | Double sliding door overlapped             |
| D44-230290  | 2300        | Max 2x2900     | Double sliding door overlapped             |
| D46-XXX090  | Max 2300    | 900            | Sliding door without rail                  |
| D46-XXX140  | Max 2300    | 1400           | Sliding door without rail                  |
| D46-XXX290  | Max 2300    | 2900           | Sliding door without rail                  |
| D47-XXX580  | Max 2300    | 2x2900         | Sliding door without rail with centre lock |

(Standard panels are used for doors)

# Axellent Product information

» X-Guard® Product sheet

## OTHER ACCESSORIES

| Art. no.    | Description  |
|-------------|--|
| T00-00      | X-Key  |
| T00-01      | Fittings for X-Guard, 1 pack   |
| T00-02      | Fittings for X-Guard, 1 pack, for 4 mm plastic panels                    |
| T00-03      | Fittings for X-Guard, 1 pack, for 6 mm plastic panels                    |
| T00-04      | Fittings for X-Guard, 1 pack, for horizontal panels                      |
| T00-05      | Fittings for X-Guard, 1 pack, for horizontal panels different heights    |
| T01-01      | Fittings for creating corners up to 180°                                 |
| T01-02      | High impact protection for 50x50 mm post, 1 set/panel                    |
| T01-03      | Special nut, for plastic cap on post, X-Guard, 10 pack                   |
| T01-04      | Shim set, 2x2 mm + 1x6 mm, for post height adjustment X-Guard            |
| T01-05      | Special bracket when mounting 2 hinge doors in a corner                  |
| T01-06      | Tube nut M8, 10 pack   |
| T01-07      | X-Cup holder   |
| T01-08      | Magnet   |
| T01-09      | Stabilization for contractor, Ral 9011                                   |
| T01-10      | High impact protection for 50x100 mm post, 1 set/panel                   |
| T01-11      | Bolt upper panel bracket (zinc), not blocked, 10 pack                    |
| T01-13      | Rubber plug for "keyhole" on X-Guard post (1set=36pcs)                   |
| T01-14      | Shims set for 50x100, 2x2mm + 1x6mm, for post height adjustment X-Guard  |
| T01-16      | Foot cover for 50x50 post 5 kit (1 kit=2pcs)                             |
| T01-17      | Top plug for 50x50 post (1 kit=5 pcs)                                    |
| T01-21      | Edge strip u-shaped, black rubber 30x26x15mm, 50m                        |
| T01-22      | Bail handle c/c 150mm, set of 2 incl. mounting plates                    |
| T01-23      | Support wheel incl. mounting plate. For floor gap 100mm, X-Guard         |
| T02-3-07504 | Infill sheet metal H= 0750 W= 40 mm, RAL 9011                            |
| T02-3-07507 | Infill sheet metal H= 0750 W= 70 mm, RAL 9011                            |
| T02-3-13004 | Infill sheet metal H= 1300 W= 40 mm, RAL 9011                            |
| T02-3-13007 | Infill sheet metal H= 1300 W= 70 mm, RAL 9011                            |
| T02-3-19004 | Infill sheet metal H= 1900 W= 40 mm, RAL 9011                            |
| T02-3-19007 | Infill sheet metal H= 1900 W= 70 mm, RAL 9011                            |
| T02-3-22004 | Infill sheet metal H= 2200 W= 40 mm, RAL 9011                            |
| T02-3-22007 | Infill sheet metal H= 2200 W= 70 mm, RAL 9011                            |
| T03-3-190   | Cover strip, gap panel/post H= 1900 mm, RAL 9011                         |
| T03-3-220   | Cover strip, gap panel/post H= 2200 mm, RAL 9011                         |
| T04-3-075   | Cover strip with clips H= 0750 mm, RAL 9011, 1 set/panel                 |
| T04-3-190   | Cover strip with clips H= 1900 mm, RAL 9011, 1 set/panel                 |
| T04-3-220   | Cover strip with clips H= 2200 mm, RAL 9011, 1 set/panel                 |
| T90-01      | X-Guard Sample kit   |
| K1-01       | Kit for optional placing of quick fittings, 1 pack                       |
| K1-03       | Kit for optional placing of quick fittings upper bracket X-Guard, 1 pack |
| KV-3-075    | Cutting package vertical, H= 0750 mm, RAL 9011                           |
| KV-3-130    | Cutting package vertical, H= 1300 mm, RAL 9011                           |
| KV-3-190    | Cutting package vertical, H= 1900 mm, RAL 9011                           |
| KV-3-220    | Cutting package vertical, H= 2200 mm, RAL 9011                           |
| KH-3-150    | Cutting package horizontal, incl. fittings K1-01, W= 1500 mm, RAL 9011   |
| KH-3-150B   | Cutting package horizontal exkl. fittings K1-01, W= 1500 mm, RAL 9011    |
| 10-9841     | Edge strip u-shaped, black rubber, 2 m                                   |
| 05-9501     | Plastic plug 20x30 mm  |

# Axellent Product information

» X-Guard® Product sheet

## SHEET AND PLASTIC

| Art. no.    | Description   |
|-------------|---|
| W328-190025 | Plastic wallsection, H= 1900 W= 250 mm, 2 mm transparent plastic, RAL 9011  |
| W328-190040 | Plastic wallsection, H= 1900 W= 400 mm, 2 mm transparent plastic, RAL 9011  |
| W328-190070 | Plastic wallsection, H= 1900 W= 700 mm, 2 mm transparent plastic, RAL 9011  |
| W328-190100 | Plastic wallsection, H= 1900 W= 1000 mm, 2 mm transparent plastic, RAL 9011 |
| W328-220025 | Plastic wallsection, H= 2200 W= 250 mm, 2 mm transparent plastic, RAL 9011  |
| W328-220040 | Plastic wallsection, H= 2200 W= 400 mm, 2 mm transparent plastic, RAL 9011  |
| W328-220070 | Plastic wallsection, H= 2200 W= 700 mm, 2 mm transparent plastic, RAL 9011  |
| W328-220100 | Plastic wallsection, H= 2200 W= 1000 mm, 2 mm transparent plastic, RAL 9011 |
| W428-220025 | Plastic wallsection, H= 2200 W= 250 mm, 2 mm transparent plastic, RAL 9018  |
| W428-220040 | Plastic wallsection, H= 2200 W= 400 mm, 2 mm transparent plastic, RAL 9018  |
| W428-220070 | Plastic wallsection, H= 2200 W= 700 mm, 2 mm transparent plastic, RAL 9018  |
| W428-220100 | Plastic wallsection, H= 2200 W= 1000 mm, 2 mm transparent plastic, RAL 9018 |
| W329-190025 | Sheet metal wallsection 0,8 mm, H= 1900 W= 250 mm, RAL 9011                 |
| W329-190040 | Sheet metal wallsection 0,8 mm, H= 1900 W= 400 mm, RAL 9011                 |
| W329-190070 | Sheet metal wallsection 0,8 mm, H= 1900 W= 700 mm, RAL 9011                 |
| W329-190100 | Sheet metal wallsection 0,8 mm, H= 1900 W= 1000 mm, RAL 9011                |
| W329-220025 | Sheet metal wallsection 0,8 mm, H= 2200 W= 250 mm, RAL 9011                 |
| W329-220040 | Sheet metal wallsection 0,8 mm, H= 2200 W= 400 mm, RAL 9011                 |
| W329-220070 | Sheet metal wallsection 0,8 mm, H= 2200 W= 700 mm, RAL 9011                 |
| W329-220100 | Sheet metal wallsection 0,8 mm, H= 2200 W= 1000 mm, RAL 9011                |
| W429-220025 | Sheet metal wallsection 0,8 mm, H= 2200 W= 250 mm, RAL 9018                 |
| W429-220040 | Sheet metal wallsection 0,8 mm, H= 2200 W= 400 mm, RAL 9018                 |
| W429-220070 | Sheet metal wallsection 0,8 mm, H= 2200 W= 700 mm, RAL 9018                 |
| W429-220100 | Sheet metal wallsection 0,8 mm, H= 2200 W= 1000 mm, RAL 9018                |
| W330-190070 | Sheet metal wallsection with window, H= 1900 W= 700 mm, RAL 9011            |
| W330-190100 | Sheet metal wallsection with window, H= 1900 W= 1000 mm, RAL 9011           |
| W330-220070 | Sheet metal wallsection with window, H= 2200 W= 700 mm, RAL 9011            |
| W330-220100 | Sheet metal wallsection with window, H= 2200 W= 1000 mm, RAL 9011           |
| W331-190070 | Sheet metal wallsection with window, W-green, H= 1900 W= 700 mm, RAL 9011   |
| W331-190100 | Sheet metal wallsection with window, W-green, H= 1900 W= 1000 mm, RAL 9011  |
| W331-220070 | Sheet metal wallsection with window, W-green, H= 2200 W= 700 mm, RAL 9011   |
| W331-220100 | Sheet metal wallsection with window, W-green, H= 2200 W= 1000 mm, RAL 9011  |

(Fixings are included with the panels)

N.B. For articles in other colours than standard (W528-, W529-, W530- and W531-), it is 4 weeks delivery time.